

RADFORD

SWMU49

NA

NA

Empirical

1501116

Field Id	Matrix	Lab Id	Prep Method No.
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	5030B
13MW2	GW	1501102-04	Method
13MW2	GW	1501102-04	Method
13MW2	GW	1501102-04	Method
13MW2	GW	1501102-04	None
13MW2	GW	1501102-04	Method
13MW2	GW	1501102-04	Method
13MW2	GW	1501102-04	Method
13MW3	GW	1501102-01	5030B
13MW3	GW	1501102-01	5030B
13MW3	GW	1501102-01	5030B
13MW3	GW	1501102-01	5030B

48MW07	GW	1501134-02	5030B
48MW07	GW	1501134-02	5030B
48MW07	GW	1501134-02	5030B
48MW07	GW	1501134-02	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	5030B
48MW1	GW	1501124-05	Method
48MW1	GW	1501124-05	Method
48MW1	GW	1501124-05	Method
48MW1	GW	1501124-05	None
48MW1	GW	1501124-05	Method
48MW1	GW	1501124-05	Method
48MW1	GW	1501124-05	Method
48MW2	GW	1501124-03	5030B

49MW04	GW	1501102-02	5030B
49MW04	GW	1501102-02	5030B
49MW04	GW	1501102-02	Method
49MW04	GW	1501102-02	Method
49MW04	GW	1501102-02	Method
49MW04	GW	1501102-02	None
49MW04	GW	1501102-02	Method
49MW04	GW	1501102-02	Method
49MW04	GW	1501102-02	Method
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49MW05	GW	1501102-06	5030B
49TM01	GW	1501116-04	5030B
49TM01	GW	1501116-04	5030B
49TM01	GW	1501116-04	5030B

ADW01	IDW	1501134-04	3005A
ADW01	IDW	1501134-04	3005A
ADW01	IDW	1501134-04	3005A
ADW01	IDW	1501134-04	3005A
ADW01	IDW	1501134-04	3005A
ADW01	IDW	1501134-04	Method
ADW01	IDW	1501134-04	None
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	5030B
RB012714	QC	1501116-06	Method
RB012714	QC	1501116-06	Method
RB012714	QC	1501116-06	Method
RB012714	QC	1501116-06	None
RB012714	QC	1501116-06	Method

Trip Blank 14-0842

QC

1501116-01

5030B

Anal Method No.	Sample Date	Receipt Date	Prep Date
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
9056A	01/26/15	01/27/15	02/03/15
9056A	01/26/15	01/27/15	01/27/15
9056A	01/26/15	01/27/15	01/27/15
9060	01/26/15	01/27/15	01/27/15
RSK-175	01/26/15	01/27/15	02/05/15
RSK-175	01/26/15	01/27/15	02/04/15
RSK-175	01/26/15	01/27/15	02/04/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15
8260B	01/26/15	01/27/15	02/03/15

8260B

01/27/15

01/28/15

02/04/15

Analysis Date	CAS	Analyte	Result	Lab Qualifier
02/03/15	71-55-6	1,1,1-Trichloroethane	0.50	U
02/03/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/03/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/03/15	75-34-3	1,1-Dichloroethane	0.5	U
02/03/15	75-35-4	1,1-Dichloroethene	0.5	U
02/03/15	107-06-2	1,2-Dichloroethane	0.5	U
02/03/15	78-87-5	1,2-Dichloropropane	0.5	U
02/03/15	78-93-3	2-Butanone	5	U
02/03/15	591-78-6	2-Hexanone	2.5	U
02/03/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/03/15	67-64-1	Acetone	5	U
02/03/15	71-43-2	Benzene	0.5	U
02/03/15	75-27-4	Bromodichloromethane	0.5	U
02/03/15	75-25-2	Bromoform	0.5	U
02/03/15	74-83-9	Bromomethane	1	U
02/03/15	75-15-0	Carbon disulfide	0.5	U
02/03/15	56-23-5	Carbon tetrachloride	0.5	U
02/03/15	108-90-7	Chlorobenzene	0.50	U
02/03/15	75-00-3	Chloroethane	1	U
02/03/15	67-66-3	Chloroform	0.5	U
02/03/15	74-87-3	Chloromethane	0.5	U
02/03/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/03/15	10061-01-5	cis-1,3-Dichloropropene	0.500	U
02/03/15	124-48-1	Dibromochloromethane	0.5	U
02/03/15	100-41-4	Ethylbenzene	0.5	U
02/03/15	m&pXylene	m- and p-Xylene	1	U
02/03/15	75-09-2	Methylene chloride	1	U
02/03/15	95-47-6	o-Xylene	0.5	U
02/03/15	100-42-5	Styrene	0.5	U
02/03/15	127-18-4	Tetrachloroethene	0.5	U
02/03/15	108-88-3	Toluene	0.5	U
02/03/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/03/15	10061-02-6	trans-1,3-Dichloropropene	0.50	U
02/03/15	79-01-6	Trichloroethene	0.5	U
02/03/15	75-01-4	Vinyl chloride	0.5	U
02/03/15	16887-00-6	Chloride	2.75	
01/27/15	14797-55-8	Nitrate	0.0715	J
01/27/15	14808-79-8	Sulfate	45.9	
01/27/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/03/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/03/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/03/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/03/15	75-34-3	1,1-Dichloroethane	0.5	U

02/03/15	75-35-4	1,1-Dichloroethene	0.5	U
02/03/15	107-06-2	1,2-Dichloroethane	0.5	U
02/03/15	78-87-5	1,2-Dichloropropane	0.5	U
02/03/15	78-93-3	2-Butanone	5	U
02/03/15	591-78-6	2-Hexanone	2.5	U
02/03/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/03/15	67-64-1	Acetone	5	U
02/03/15	71-43-2	Benzene	0.5	U
02/03/15	75-27-4	Bromodichloromethane	0.5	U
02/03/15	75-25-2	Bromoform	0.5	U
02/03/15	74-83-9	Bromomethane	1	U
02/03/15	75-15-0	Carbon disulfide	0.5	U
02/03/15	56-23-5	Carbon tetrachloride	4.62	
02/03/15	108-90-7	Chlorobenzene	0.50	U
02/03/15	75-00-3	Chloroethane	1.00	U
02/03/15	67-66-3	Chloroform	0.47	J
02/03/15	74-87-3	Chloromethane	0.5	U
02/03/15	156-59-2	cis-1,2-Dichloroethene	0.50	U
02/03/15	10061-01-5	cis-1,3-Dichloropropene	0.50	U
02/03/15	124-48-1	Dibromochloromethane	0.50	U
02/03/15	100-41-4	Ethylbenzene	0.50	U
02/03/15	m&pXylene	m- and p-Xylene	1.00	U
02/03/15	75-09-2	Methylene chloride	1.00	U
02/03/15	95-47-6	o-Xylene	0.50	U
02/03/15	100-42-5	Styrene	0.5	U
02/03/15	127-18-4	Tetrachloroethene	0.5	U
02/03/15	108-88-3	Toluene	0.50	U
02/03/15	156-60-5	trans-1,2-Dichloroethene	0.50	U
02/03/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/03/15	79-01-6	Trichloroethene	0.883	J
02/03/15	75-01-4	Vinyl chloride	0.50	U
01/27/15	16887-00-6	Chloride	3.88	
01/27/15	14797-55-8	Nitrate	1.66	
01/27/15	14808-79-8	Sulfate	126	
01/27/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2.000	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/03/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/03/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/03/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/03/15	75-34-3	1,1-Dichloroethane	0.5	U
02/03/15	75-35-4	1,1-Dichloroethene	0.5	U
02/03/15	107-06-2	1,2-Dichloroethane	0.5	U
02/03/15	78-87-5	1,2-Dichloropropane	0.5	U
02/03/15	78-93-3	2-Butanone	5	U
02/03/15	591-78-6	2-Hexanone	2.5	U

02/03/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/03/15	67-64-1	Acetone	5.000	U
02/03/15	71-43-2	Benzene	0.5	U
02/03/15	75-27-4	Bromodichloromethane	0.50	U
02/03/15	75-25-2	Bromoform	0.5	U
02/03/15	74-83-9	Bromomethane	1.0	U
02/03/15	75-15-0	Carbon disulfide	0.5	U
02/03/15	56-23-5	Carbon tetrachloride	0.592	J
02/03/15	108-90-7	Chlorobenzene	0.5	U
02/03/15	75-00-3	Chloroethane	1	U
02/03/15	67-66-3	Chloroform	0.5	U
02/03/15	74-87-3	Chloromethane	0.5	U
02/03/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/03/15	10061-01-5	cis-1,3-Dichloropropene	0.500	U
02/03/15	124-48-1	Dibromochloromethane	0.5	U
02/03/15	100-41-4	Ethylbenzene	0.500	U
02/03/15	m&pXylene	m- and p-Xylene	1	U
02/03/15	75-09-2	Methylene chloride	1	U
02/03/15	95-47-6	o-Xylene	0.5	U
02/03/15	100-42-5	Styrene	0.5	U
02/03/15	127-18-4	Tetrachloroethene	0.5	U
02/03/15	108-88-3	Toluene	0.5	U
02/03/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/03/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/03/15	79-01-6	Trichloroethene	0.5	U
02/03/15	75-01-4	Vinyl chloride	0.5	U
01/27/15	16887-00-6	Chloride	11.5	
01/27/15	14797-55-8	Nitrate	0.1	U
01/27/15	14808-79-8	Sulfate	23.8	
01/27/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/03/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/03/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/03/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/03/15	75-34-3	1,1-Dichloroethane	0.5	U
02/03/15	75-35-4	1,1-Dichloroethene	0.5	U
02/03/15	107-06-2	1,2-Dichloroethane	0.5	U
02/03/15	78-87-5	1,2-Dichloropropane	0.5	U
02/03/15	78-93-3	2-Butanone	5	U
02/03/15	591-78-6	2-Hexanone	2.5	U
02/03/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/03/15	67-64-1	Acetone	5	U
02/03/15	71-43-2	Benzene	0.5	U
02/03/15	75-27-4	Bromodichloromethane	0.5	U
02/03/15	75-25-2	Bromoform	0.5	U

02/03/15	74-83-9	Bromomethane	1	U
02/03/15	75-15-0	Carbon disulfide	0.5	U
02/03/15	56-23-5	Carbon tetrachloride	0.5	U
02/03/15	108-90-7	Chlorobenzene	0.5	U
02/03/15	75-00-3	Chloroethane	1	U
02/03/15	67-66-3	Chloroform	0.5	U
02/03/15	74-87-3	Chloromethane	0.5	U
02/03/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/03/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/03/15	124-48-1	Dibromochloromethane	0.5	U
02/03/15	100-41-4	Ethylbenzene	0.5	U
02/03/15	m&pXylene	m- and p-Xylene	1.000	U
02/03/15	75-09-2	Methylene chloride	1	U
02/03/15	95-47-6	o-Xylene	0.5	U
02/03/15	100-42-5	Styrene	0.5	U
02/03/15	127-18-4	Tetrachloroethene	0.5	U
02/03/15	108-88-3	Toluene	0.5	U
02/03/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/03/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/03/15	79-01-6	Trichloroethene	1.42	
02/03/15	75-01-4	Vinyl chloride	0.5	U
02/11/15	71-55-6	1,1,1-Trichloroethane	0.691	DJ
02/11/15	79-34-5	1,1,2,2-Tetrachloroethane	1	U
02/11/15	79-00-5	1,1,2-Trichloroethane	1	U
02/11/15	75-34-3	1,1-Dichloroethane	4.28	D
02/11/15	75-35-4	1,1-Dichloroethene	1	U
02/11/15	107-06-2	1,2-Dichloroethane	1	U
02/11/15	78-87-5	1,2-Dichloropropane	1	U
02/11/15	78-93-3	2-Butanone	10	U
02/11/15	591-78-6	2-Hexanone	5	U
02/11/15	108-10-1	4-Methyl-2-pentanone	5	U
02/11/15	67-64-1	Acetone	27.8	D
02/11/15	71-43-2	Benzene	1	U
02/11/15	75-27-4	Bromodichloromethane	1	U
02/11/15	75-25-2	Bromoform	1.00	XU
02/11/15	74-83-9	Bromomethane	2	U
02/11/15	75-15-0	Carbon disulfide	1	U
02/11/15	56-23-5	Carbon tetrachloride	1	XU
02/11/15	108-90-7	Chlorobenzene	1	U
02/11/15	75-00-3	Chloroethane	2	U
02/11/15	67-66-3	Chloroform	1	U
02/11/15	74-87-3	Chloromethane	1	U
02/11/15	156-59-2	cis-1,2-Dichloroethene	4.86	D
02/11/15	10061-01-5	cis-1,3-Dichloropropene	1	U
02/11/15	124-48-1	Dibromochloromethane	1	U
02/11/15	100-41-4	Ethylbenzene	1	U
02/11/15	m&pXylene	m- and p-Xylene	2	U

02/11/15	75-09-2	Methylene chloride	2	U
02/11/15	95-47-6	o-Xylene	1	U
02/11/15	100-42-5	Styrene	1	U
02/11/15	127-18-4	Tetrachloroethene	0.71	DJ
02/11/15	108-88-3	Toluene	1	U
02/11/15	156-60-5	trans-1,2-Dichloroethene	1	U
02/11/15	10061-02-6	trans-1,3-Dichloropropene	1.000	U
02/11/15	79-01-6	Trichloroethene	3.29	D
02/11/15	75-01-4	Vinyl chloride	1.000	U
02/10/15	16887-00-6	Chloride	9.360	D
01/30/15	14797-55-8	Nitrate	5.88	
02/10/15	14808-79-8	Sulfate	275	D
02/05/15	7440-44-0	Total Organic Carbon AVG	1.640	J
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/11/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/11/15	79-34-5	1,1,2,2-Tetrachloroethane	0.50	U
02/11/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/11/15	75-34-3	1,1-Dichloroethane	0.5	U
02/11/15	75-35-4	1,1-Dichloroethene	0.5	U
02/11/15	107-06-2	1,2-Dichloroethane	0.5	U
02/11/15	78-87-5	1,2-Dichloropropane	0.5	U
02/11/15	78-93-3	2-Butanone	5	U
02/11/15	591-78-6	2-Hexanone	2.5	U
02/11/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/11/15	67-64-1	Acetone	5	U
02/11/15	71-43-2	Benzene	0.5	U
02/11/15	75-27-4	Bromodichloromethane	0.5	U
02/11/15	75-25-2	Bromoform	0.5	XU
02/11/15	74-83-9	Bromomethane	1	U
02/11/15	75-15-0	Carbon disulfide	0.5	U
02/11/15	56-23-5	Carbon tetrachloride	0.5	XU
02/11/15	108-90-7	Chlorobenzene	0.5	U
02/11/15	75-00-3	Chloroethane	1	U
02/11/15	67-66-3	Chloroform	0.5	U
02/11/15	74-87-3	Chloromethane	0.5	U
02/11/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/11/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/11/15	124-48-1	Dibromochloromethane	0.5	U
02/11/15	100-41-4	Ethylbenzene	0.5	U
02/11/15	m&pXylene	m- and p-Xylene	1	U
02/11/15	75-09-2	Methylene chloride	1	U
02/11/15	95-47-6	o-Xylene	0.5	U
02/11/15	100-42-5	Styrene	0.5	U
02/11/15	127-18-4	Tetrachloroethene	0.5	U
02/11/15	108-88-3	Toluene	0.5	U

02/11/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/11/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/11/15	79-01-6	Trichloroethene	0.5	U
02/11/15	75-01-4	Vinyl chloride	0.5	U
02/06/15	71-55-6	1,1,1-Trichloroethane	0.454	J
02/06/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/06/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/06/15	75-34-3	1,1-Dichloroethane	0.908	J
02/06/15	75-35-4	1,1-Dichloroethene	0.5	U
02/06/15	107-06-2	1,2-Dichloroethane	0.5	U
02/06/15	78-87-5	1,2-Dichloropropane	0.5	U
02/06/15	78-93-3	2-Butanone	5	U
02/06/15	591-78-6	2-Hexanone	2.5	U
02/06/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/06/15	67-64-1	Acetone	5	U
02/06/15	71-43-2	Benzene	0.5	U
02/06/15	75-27-4	Bromodichloromethane	0.5	U
02/06/15	75-25-2	Bromoform	0.5	U
02/06/15	74-83-9	Bromomethane	1	U
02/06/15	75-15-0	Carbon disulfide	0.5	U
02/06/15	56-23-5	Carbon tetrachloride	0.5	XU
02/06/15	108-90-7	Chlorobenzene	0.5	U
02/06/15	75-00-3	Chloroethane	1	U
02/06/15	67-66-3	Chloroform	0.5	U
02/06/15	74-87-3	Chloromethane	0.5	U
02/06/15	156-59-2	cis-1,2-Dichloroethene	0.914	J
02/06/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/06/15	124-48-1	Dibromochloromethane	0.5	U
02/06/15	100-41-4	Ethylbenzene	0.5	U
02/06/15	m&pXylene	m- and p-Xylene	0.535	J
02/06/15	75-09-2	Methylene chloride	1	U
02/06/15	95-47-6	o-Xylene	0.285	J
02/06/15	100-42-5	Styrene	0.5	U
02/06/15	127-18-4	Tetrachloroethene	0.5	U
02/06/15	108-88-3	Toluene	0.5	U
02/06/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/06/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/06/15	79-01-6	Trichloroethene	1.91	
02/06/15	75-01-4	Vinyl chloride	0.5	U
01/29/15	16887-00-6	Chloride	3.1	
01/29/15	14797-55-8	Nitrate	1.35	
01/29/15	14808-79-8	Sulfate	58.00	
02/05/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/06/15	71-55-6	1,1,1-Trichloroethane	0.5	U

02/06/15	79-34-5	1,1,2,2-Tetrachloroethane	0.50	U
02/06/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/06/15	75-34-3	1,1-Dichloroethane	0.5	U
02/06/15	75-35-4	1,1-Dichloroethene	0.5	U
02/06/15	107-06-2	1,2-Dichloroethane	0.5	U
02/06/15	78-87-5	1,2-Dichloropropane	0.500	U
02/06/15	78-93-3	2-Butanone	5.000	U
02/06/15	591-78-6	2-Hexanone	2.500	U
02/06/15	108-10-1	4-Methyl-2-pentanone	2.500	U
02/06/15	67-64-1	Acetone	5	U
02/06/15	71-43-2	Benzene	0.5	U
02/06/15	75-27-4	Bromodichloromethane	0.5	U
02/06/15	75-25-2	Bromoform	0.5	U
02/06/15	74-83-9	Bromomethane	1	U
02/06/15	75-15-0	Carbon disulfide	0.5	U
02/06/15	56-23-5	Carbon tetrachloride	118	X
02/06/15	108-90-7	Chlorobenzene	0.5	U
02/06/15	75-00-3	Chloroethane	1	U
02/06/15	67-66-3	Chloroform	7.46	
02/06/15	74-87-3	Chloromethane	0.5	U
02/06/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/06/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/06/15	124-48-1	Dibromochloromethane	0.5	U
02/06/15	100-41-4	Ethylbenzene	0.47	J
02/06/15	m&pXylene	m- and p-Xylene	1.32	J
02/06/15	75-09-2	Methylene chloride	1	U
02/06/15	95-47-6	o-Xylene	0.919	J
02/06/15	100-42-5	Styrene	0.5	U
02/06/15	127-18-4	Tetrachloroethene	0.5	U
02/06/15	108-88-3	Toluene	0.5	U
02/06/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/06/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/06/15	79-01-6	Trichloroethene	10.5	
02/06/15	75-01-4	Vinyl chloride	0.5	U
01/29/15	16887-00-6	Chloride	2.65	
01/29/15	14797-55-8	Nitrate	0.754	
01/29/15	14808-79-8	Sulfate	16.8	
02/05/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/04/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/04/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/04/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/04/15	75-34-3	1,1-Dichloroethane	0.5	U
02/04/15	75-35-4	1,1-Dichloroethene	0.5	U
02/04/15	107-06-2	1,2-Dichloroethane	0.5	U

02/04/15	78-87-5	1,2-Dichloropropane	0.5	U
02/04/15	78-93-3	2-Butanone	5	U
02/04/15	591-78-6	2-Hexanone	2.5	U
02/04/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/04/15	67-64-1	Acetone	5	XU
02/04/15	71-43-2	Benzene	0.5	U
02/04/15	75-27-4	Bromodichloromethane	0.5	U
02/04/15	75-25-2	Bromoform	0.5	U
02/04/15	74-83-9	Bromomethane	1	NU
02/04/15	75-15-0	Carbon disulfide	0.5	U
02/04/15	56-23-5	Carbon tetrachloride	77.4	
02/04/15	108-90-7	Chlorobenzene	0.5	U
02/04/15	75-00-3	Chloroethane	1	U
02/04/15	67-66-3	Chloroform	8.37	
02/04/15	74-87-3	Chloromethane	0.5	U
02/04/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/04/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/04/15	124-48-1	Dibromochloromethane	0.5	XU
02/04/15	100-41-4	Ethylbenzene	0.5	U
02/04/15	m&pXylene	m- and p-Xylene	0.736	J
02/04/15	75-09-2	Methylene chloride	1	U
02/04/15	95-47-6	o-Xylene	0.495	J
02/04/15	100-42-5	Styrene	0.5	U
02/04/15	127-18-4	Tetrachloroethene	0.5	U
02/04/15	108-88-3	Toluene	0.5	U
02/04/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/04/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/04/15	79-01-6	Trichloroethene	12.4	
02/04/15	75-01-4	Vinyl chloride	0.5	U
01/28/15	16887-00-6	Chloride	2.22	
01/28/15	14797-55-8	Nitrate	6.4	
01/28/15	14808-79-8	Sulfate	29.8	
02/05/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/06/15	71-55-6	1,1,1-Trichloroethane	0.262	J
02/06/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/06/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/06/15	75-34-3	1,1-Dichloroethane	0.5	U
02/06/15	75-35-4	1,1-Dichloroethene	0.5	U
02/06/15	107-06-2	1,2-Dichloroethane	0.5	U
02/06/15	78-87-5	1,2-Dichloropropane	0.5	U
02/06/15	78-93-3	2-Butanone	5	U
02/06/15	591-78-6	2-Hexanone	2.5	U
02/06/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/06/15	67-64-1	Acetone	5	U

02/06/15	71-43-2	Benzene	0.5	U
02/06/15	75-27-4	Bromodichloromethane	0.5	U
02/06/15	75-25-2	Bromoform	0.5	U
02/06/15	74-83-9	Bromomethane	1	U
02/06/15	75-15-0	Carbon disulfide	0.5	U
02/06/15	56-23-5	Carbon tetrachloride	4.97	X
02/06/15	108-90-7	Chlorobenzene	0.5	U
02/06/15	75-00-3	Chloroethane	1	U
02/06/15	67-66-3	Chloroform	0.404	J
02/06/15	74-87-3	Chloromethane	0.5	U
02/06/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/06/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/06/15	124-48-1	Dibromochloromethane	0.5	U
02/06/15	100-41-4	Ethylbenzene	0.262	J
02/06/15	m&pXylene	m- and p-Xylene	0.69	J
02/06/15	75-09-2	Methylene chloride	1	U
02/06/15	95-47-6	o-Xylene	0.544	J
02/06/15	100-42-5	Styrene	0.5	U
02/06/15	127-18-4	Tetrachloroethene	0.5	U
02/06/15	108-88-3	Toluene	0.5	U
02/06/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/06/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/06/15	79-01-6	Trichloroethene	0.5	U
02/06/15	75-01-4	Vinyl chloride	0.5	U
01/29/15	16887-00-6	Chloride	6.03	
01/29/15	14797-55-8	Nitrate	0.303	
01/29/15	14808-79-8	Sulfate	1	U
02/05/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/04/15	71-55-6	1,1,1-Trichloroethane	1	U
02/04/15	79-34-5	1,1,2,2-Tetrachloroethane	1	U
02/04/15	79-00-5	1,1,2-Trichloroethane	1	U
02/04/15	75-34-3	1,1-Dichloroethane	1	U
02/04/15	75-35-4	1,1-Dichloroethene	1	U
02/04/15	107-06-2	1,2-Dichloroethane	1	U
02/04/15	78-87-5	1,2-Dichloropropane	1	U
02/04/15	78-93-3	2-Butanone	10	U
02/04/15	591-78-6	2-Hexanone	5	U
02/04/15	108-10-1	4-Methyl-2-pentanone	5	U
02/04/15	67-64-1	Acetone	14	XDJ
02/04/15	71-43-2	Benzene	1	U
02/04/15	75-27-4	Bromodichloromethane	1	U
02/04/15	75-25-2	Bromoform	1	U
02/04/15	74-83-9	Bromomethane	2	U
02/04/15	75-15-0	Carbon disulfide	1	U

02/04/15	56-23-5	Carbon tetrachloride	5.05	D
02/04/15	108-90-7	Chlorobenzene	1	U
02/04/15	75-00-3	Chloroethane	2	U
02/04/15	67-66-3	Chloroform	1.55	DJ
02/04/15	74-87-3	Chloromethane	1	U
02/04/15	156-59-2	cis-1,2-Dichloroethene	1	U
02/04/15	10061-01-5	cis-1,3-Dichloropropene	1	U
02/04/15	124-48-1	Dibromochloromethane	1	XU
02/04/15	100-41-4	Ethylbenzene	1.13	DJ
02/04/15	m&pXylene	m- and p-Xylene	4.06	D
02/04/15	75-09-2	Methylene chloride	2	U
02/04/15	95-47-6	o-Xylene	2.91	D
02/04/15	100-42-5	Styrene	1	U
02/04/15	127-18-4	Tetrachloroethene	1	U
02/04/15	108-88-3	Toluene	1	U
02/04/15	156-60-5	trans-1,2-Dichloroethene	1	U
02/04/15	10061-02-6	trans-1,3-Dichloropropene	1	U
02/04/15	79-01-6	Trichloroethene	0.501	DJ
02/04/15	75-01-4	Vinyl chloride	1	U
01/28/15	16887-00-6	Chloride	3.45	
01/28/15	14797-55-8	Nitrate	0.0476	J
01/28/15	14808-79-8	Sulfate	26.6	
02/05/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	1.4	J
02/04/15	74-82-8	Methane	1.54	J
02/06/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/06/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/06/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/06/15	75-34-3	1,1-Dichloroethane	0.5	U
02/06/15	75-35-4	1,1-Dichloroethene	0.5	U
02/06/15	107-06-2	1,2-Dichloroethane	0.5	U
02/06/15	78-87-5	1,2-Dichloropropane	0.5	U
02/06/15	78-93-3	2-Butanone	5	U
02/06/15	591-78-6	2-Hexanone	2.5	U
02/06/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/06/15	67-64-1	Acetone	5	U
02/06/15	71-43-2	Benzene	0.5	U
02/06/15	75-27-4	Bromodichloromethane	0.5	U
02/06/15	75-25-2	Bromoform	0.5	U
02/06/15	74-83-9	Bromomethane	1	U
02/06/15	75-15-0	Carbon disulfide	0.5	U
02/06/15	56-23-5	Carbon tetrachloride	0.5	XU
02/06/15	108-90-7	Chlorobenzene	0.5	U
02/06/15	75-00-3	Chloroethane	1	U
02/06/15	67-66-3	Chloroform	0.5	U
02/06/15	74-87-3	Chloromethane	0.5	U

02/06/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/06/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/06/15	124-48-1	Dibromochloromethane	0.5	U
02/06/15	100-41-4	Ethylbenzene	0.5	U
02/06/15	m&pXylene	m- and p-Xylene	1	U
02/06/15	75-09-2	Methylene chloride	1	U
02/06/15	95-47-6	o-Xylene	0.296	J
02/06/15	100-42-5	Styrene	0.5	U
02/06/15	127-18-4	Tetrachloroethene	0.5	U
02/06/15	108-88-3	Toluene	0.5	U
02/06/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/06/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/06/15	79-01-6	Trichloroethene	0.5	U
02/06/15	75-01-4	Vinyl chloride	0.5	U
02/03/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/03/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/03/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/03/15	75-34-3	1,1-Dichloroethane	0.5	U
02/03/15	75-35-4	1,1-Dichloroethene	0.5	U
02/03/15	107-06-2	1,2-Dichloroethane	0.5	U
02/03/15	78-87-5	1,2-Dichloropropane	0.5	U
02/03/15	78-93-3	2-Butanone	5	U
02/03/15	591-78-6	2-Hexanone	2.5	U
02/03/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/03/15	67-64-1	Acetone	5	U
02/03/15	71-43-2	Benzene	0.5	U
02/03/15	75-27-4	Bromodichloromethane	0.5	U
02/03/15	75-25-2	Bromoform	0.5	U
02/03/15	74-83-9	Bromomethane	1	U
02/03/15	75-15-0	Carbon disulfide	0.5	U
02/03/15	56-23-5	Carbon tetrachloride	0.662	J
02/03/15	108-90-7	Chlorobenzene	0.5	U
02/03/15	75-00-3	Chloroethane	1	U
02/03/15	67-66-3	Chloroform	1.46	
02/03/15	74-87-3	Chloromethane	0.5	U
02/03/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/03/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/03/15	124-48-1	Dibromochloromethane	0.5	U
02/03/15	100-41-4	Ethylbenzene	0.5	U
02/03/15	m&pXylene	m- and p-Xylene	1	U
02/03/15	75-09-2	Methylene chloride	1	U
02/03/15	95-47-6	o-Xylene	0.5	U
02/03/15	100-42-5	Styrene	0.5	U
02/03/15	127-18-4	Tetrachloroethene	0.5	U
02/03/15	108-88-3	Toluene	0.5	U
02/03/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/03/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U

02/03/15	79-01-6	Trichloroethene	0.5	U
02/03/15	75-01-4	Vinyl chloride	0.5	U
01/27/15	16887-00-6	Chloride	5.16	
01/27/15	14797-55-8	Nitrate	0.249	J
01/27/15	14808-79-8	Sulfate	53.6	
01/27/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/03/15	71-55-6	1,1,1-Trichloroethane	1	U
02/03/15	79-34-5	1,1,2,2-Tetrachloroethane	1	U
02/03/15	79-00-5	1,1,2-Trichloroethane	1	U
02/03/15	75-34-3	1,1-Dichloroethane	1	U
02/03/15	75-35-4	1,1-Dichloroethene	1	U
02/03/15	107-06-2	1,2-Dichloroethane	1	U
02/03/15	78-87-5	1,2-Dichloropropane	1	U
02/03/15	78-93-3	2-Butanone	10	U
02/03/15	591-78-6	2-Hexanone	5	U
02/03/15	108-10-1	4-Methyl-2-pentanone	5	U
02/03/15	67-64-1	Acetone	18.6	DJ
02/03/15	71-43-2	Benzene	1	U
02/03/15	75-27-4	Bromodichloromethane	1	U
02/03/15	75-25-2	Bromoform	1	U
02/03/15	74-83-9	Bromomethane	2	U
02/03/15	75-15-0	Carbon disulfide	1	U
02/03/15	56-23-5	Carbon tetrachloride	1	U
02/03/15	108-90-7	Chlorobenzene	1	U
02/03/15	75-00-3	Chloroethane	2	U
02/03/15	67-66-3	Chloroform	1	U
02/03/15	74-87-3	Chloromethane	1	U
02/03/15	156-59-2	cis-1,2-Dichloroethene	1	U
02/03/15	10061-01-5	cis-1,3-Dichloropropene	1	U
02/03/15	124-48-1	Dibromochloromethane	1	U
02/03/15	100-41-4	Ethylbenzene	1	U
02/03/15	m&pXylene	m- and p-Xylene	2	U
02/03/15	75-09-2	Methylene chloride	2	U
02/03/15	95-47-6	o-Xylene	1	U
02/03/15	100-42-5	Styrene	1	U
02/03/15	127-18-4	Tetrachloroethene	1	U
02/03/15	108-88-3	Toluene	1	U
02/03/15	156-60-5	trans-1,2-Dichloroethene	1	U
02/03/15	10061-02-6	trans-1,3-Dichloropropene	1	U
02/03/15	79-01-6	Trichloroethene	1	U
02/03/15	75-01-4	Vinyl chloride	1	U
02/04/15	71-55-6	1,1,1-Trichloroethane	0.251	J
02/04/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/04/15	79-00-5	1,1,2-Trichloroethane	0.5	U

02/04/15	75-34-3	1,1-Dichloroethane	0.305	J
02/04/15	75-35-4	1,1-Dichloroethene	0.5	U
02/04/15	107-06-2	1,2-Dichloroethane	0.5	U
02/04/15	78-87-5	1,2-Dichloropropane	0.5	U
02/04/15	78-93-3	2-Butanone	5	U
02/04/15	591-78-6	2-Hexanone	2.5	U
02/04/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/04/15	67-64-1	Acetone	5	XU
02/04/15	71-43-2	Benzene	0.5	U
02/04/15	75-27-4	Bromodichloromethane	0.5	U
02/04/15	75-25-2	Bromoform	0.5	U
02/04/15	74-83-9	Bromomethane	1	U
02/04/15	75-15-0	Carbon disulfide	0.5	U
02/04/15	56-23-5	Carbon tetrachloride	1.5	
02/04/15	108-90-7	Chlorobenzene	0.5	U
02/04/15	75-00-3	Chloroethane	1	U
02/04/15	67-66-3	Chloroform	0.5	U
02/04/15	74-87-3	Chloromethane	0.5	U
02/04/15	156-59-2	cis-1,2-Dichloroethene	0.398	J
02/04/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/04/15	124-48-1	Dibromochloromethane	0.5	XU
02/04/15	100-41-4	Ethylbenzene	0.5	U
02/04/15	m&pXylene	m- and p-Xylene	0.715	J
02/04/15	75-09-2	Methylene chloride	1	U
02/04/15	95-47-6	o-Xylene	0.514	J
02/04/15	100-42-5	Styrene	0.5	U
02/04/15	127-18-4	Tetrachloroethene	0.299	J
02/04/15	108-88-3	Toluene	0.5	U
02/04/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/04/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/04/15	79-01-6	Trichloroethene	2.02	
02/04/15	75-01-4	Vinyl chloride	0.5	U
01/28/15	16887-00-6	Chloride	6.99	
01/28/15	14797-55-8	Nitrate	2.05	
01/28/15	14808-79-8	Sulfate	73	
02/05/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/04/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/04/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/04/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/04/15	75-34-3	1,1-Dichloroethane	0.5	U
02/04/15	75-35-4	1,1-Dichloroethene	0.5	U
02/04/15	107-06-2	1,2-Dichloroethane	0.5	U
02/04/15	78-87-5	1,2-Dichloropropane	0.5	U
02/04/15	78-93-3	2-Butanone	5	U

02/04/15	591-78-6	2-Hexanone	2.5	U
02/04/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/04/15	67-64-1	Acetone	5	XU
02/04/15	71-43-2	Benzene	0.5	U
02/04/15	75-27-4	Bromodichloromethane	0.5	U
02/04/15	75-25-2	Bromoform	0.5	U
02/04/15	74-83-9	Bromomethane	1	U
02/04/15	75-15-0	Carbon disulfide	0.5	U
02/04/15	56-23-5	Carbon tetrachloride	77.2	
02/04/15	108-90-7	Chlorobenzene	0.5	U
02/04/15	75-00-3	Chloroethane	1	U
02/04/15	67-66-3	Chloroform	8.51	
02/04/15	74-87-3	Chloromethane	0.5	U
02/04/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/04/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/04/15	124-48-1	Dibromochloromethane	0.5	XU
02/04/15	100-41-4	Ethylbenzene	0.252	J
02/04/15	m&pXylene	m- and p-Xylene	0.705	J
02/04/15	75-09-2	Methylene chloride	1	U
02/04/15	95-47-6	o-Xylene	0.547	J
02/04/15	100-42-5	Styrene	0.5	U
02/04/15	127-18-4	Tetrachloroethene	0.5	U
02/04/15	108-88-3	Toluene	0.5	U
02/04/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/04/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/04/15	79-01-6	Trichloroethene	12.7	
02/04/15	75-01-4	Vinyl chloride	0.5	U
01/28/15	16887-00-6	Chloride	2.25	
01/28/15	14797-55-8	Nitrate	6.44	
01/28/15	14808-79-8	Sulfate	30	
02/05/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/04/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/04/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/04/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/04/15	75-34-3	1,1-Dichloroethane	0.313	J
02/04/15	75-35-4	1,1-Dichloroethene	0.5	U
02/04/15	107-06-2	1,2-Dichloroethane	0.5	U
02/04/15	78-87-5	1,2-Dichloropropane	0.5	U
02/04/15	78-93-3	2-Butanone	5	U
02/04/15	591-78-6	2-Hexanone	2.5	U
02/04/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/04/15	67-64-1	Acetone	5	XU
02/04/15	71-43-2	Benzene	0.5	U
02/04/15	75-27-4	Bromodichloromethane	0.5	U

02/04/15	75-25-2	Bromoform	0.5	U
02/04/15	74-83-9	Bromomethane	1	U
02/04/15	75-15-0	Carbon disulfide	0.5	U
02/04/15	56-23-5	Carbon tetrachloride	1.62	
02/04/15	108-90-7	Chlorobenzene	0.5	U
02/04/15	75-00-3	Chloroethane	1	U
02/04/15	67-66-3	Chloroform	0.5	U
02/04/15	74-87-3	Chloromethane	0.5	U
02/04/15	156-59-2	cis-1,2-Dichloroethene	0.384	J
02/04/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/04/15	124-48-1	Dibromochloromethane	0.5	XU
02/04/15	100-41-4	Ethylbenzene	0.5	U
02/04/15	m&pXylene	m- and p-Xylene	0.804	J
02/04/15	75-09-2	Methylene chloride	1	U
02/04/15	95-47-6	o-Xylene	0.542	J
02/04/15	100-42-5	Styrene	0.5	U
02/04/15	127-18-4	Tetrachloroethene	0.311	J
02/04/15	108-88-3	Toluene	0.5	U
02/04/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/04/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/04/15	79-01-6	Trichloroethene	2.08	
02/04/15	75-01-4	Vinyl chloride	0.5	U
01/28/15	16887-00-6	Chloride	7.27	
01/28/15	14797-55-8	Nitrate	2.06	
01/28/15	14808-79-8	Sulfate	73.2	
02/05/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U
02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/08/15	NA	Chemical Oxygen Demand	23.1	J
02/03/15	7429-90-5	Aluminum	2170	
02/03/15	7440-36-0	Antimony	8	U
02/03/15	7440-38-2	Arsenic	6	U
02/03/15	7440-39-3	Barium	176	
02/03/15	7440-41-7	Beryllium	2	U
02/03/15	7440-43-9	Cadmium	2	U
02/03/15	7440-70-2	Calcium	76300	
02/03/15	7440-47-3	Chromium	5.71	J
02/03/15	7440-48-4	Cobalt	10	U
02/03/15	7440-50-8	Copper	8.56	J
02/03/15	7439-89-6	Iron	4530	
02/03/15	7439-92-1	Lead	3	U
02/03/15	7439-95-4	Magnesium	43400	
02/03/15	7439-96-5	Manganese	206	
02/03/15	7440-02-0	Nickel	4.45	J
02/03/15	9/7/7440	Potassium	4250	J
02/03/15	7782-49-2	Selenium	5	U

02/03/15	7440-22-4	Silver	2	U
02/03/15	7440-23-5	Sodium	61700	
02/03/15	7440-28-0	Thallium	4	U
02/03/15	7440-62-2	Vanadium	10	U
02/03/15	7440-66-6	Zinc	33.9	
02/05/15	7439-97-6	Mercury	0.16	U
02/04/15	pH	pH	7.47	H3
02/04/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/04/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/04/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/04/15	75-34-3	1,1-Dichloroethane	0.5	U
02/04/15	75-35-4	1,1-Dichloroethene	0.5	U
02/04/15	107-06-2	1,2-Dichloroethane	0.5	U
02/04/15	78-87-5	1,2-Dichloropropane	0.5	U
02/04/15	78-93-3	2-Butanone	5	U
02/04/15	591-78-6	2-Hexanone	2.5	U
02/04/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/04/15	67-64-1	Acetone	9.32	XJ
02/04/15	71-43-2	Benzene	0.5	U
02/04/15	75-27-4	Bromodichloromethane	0.5	U
02/04/15	75-25-2	Bromoform	0.5	U
02/04/15	74-83-9	Bromomethane	1	U
02/04/15	75-15-0	Carbon disulfide	0.5	U
02/04/15	56-23-5	Carbon tetrachloride	0.5	U
02/04/15	108-90-7	Chlorobenzene	0.5	U
02/04/15	75-00-3	Chloroethane	1	U
02/04/15	67-66-3	Chloroform	0.5	U
02/04/15	74-87-3	Chloromethane	0.5	U
02/04/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/04/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/04/15	124-48-1	Dibromochloromethane	0.5	XU
02/04/15	100-41-4	Ethylbenzene	0.5	U
02/04/15	m&pXylene	m- and p-Xylene	1	U
02/04/15	75-09-2	Methylene chloride	1	U
02/04/15	95-47-6	o-Xylene	0.5	U
02/04/15	100-42-5	Styrene	0.5	U
02/04/15	127-18-4	Tetrachloroethene	0.5	U
02/04/15	108-88-3	Toluene	0.5	U
02/04/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/04/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/04/15	79-01-6	Trichloroethene	0.5	U
02/04/15	75-01-4	Vinyl chloride	0.5	U
01/28/15	16887-00-6	Chloride	0.33	U
01/28/15	14797-55-8	Nitrate	0.1	U
01/28/15	14808-79-8	Sulfate	1	U
02/05/15	7440-44-0	Total Organic Carbon AVG	2.5	U
02/04/15	74-84-0	Ethane	2	U

02/04/15	74-85-1	Ethene	2	U
02/04/15	74-82-8	Methane	2	U
02/11/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/11/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/11/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/11/15	75-34-3	1,1-Dichloroethane	0.5	U
02/11/15	75-35-4	1,1-Dichloroethene	0.5	U
02/11/15	107-06-2	1,2-Dichloroethane	0.5	U
02/11/15	78-87-5	1,2-Dichloropropane	0.5	U
02/11/15	78-93-3	2-Butanone	5	U
02/11/15	591-78-6	2-Hexanone	2.5	U
02/11/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/11/15	67-64-1	Acetone	5	U
02/11/15	71-43-2	Benzene	0.5	U
02/11/15	75-27-4	Bromodichloromethane	0.5	U
02/11/15	75-25-2	Bromoform	0.5	XU
02/11/15	74-83-9	Bromomethane	1	U
02/11/15	75-15-0	Carbon disulfide	0.5	U
02/11/15	56-23-5	Carbon tetrachloride	0.5	XU
02/11/15	108-90-7	Chlorobenzene	0.5	U
02/11/15	75-00-3	Chloroethane	1	U
02/11/15	67-66-3	Chloroform	0.5	U
02/11/15	74-87-3	Chloromethane	0.5	U
02/11/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/11/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/11/15	124-48-1	Dibromochloromethane	0.5	U
02/11/15	100-41-4	Ethylbenzene	0.5	U
02/11/15	m&pXylene	m- and p-Xylene	1	U
02/11/15	75-09-2	Methylene chloride	1	U
02/11/15	95-47-6	o-Xylene	0.5	U
02/11/15	100-42-5	Styrene	0.5	U
02/11/15	127-18-4	Tetrachloroethene	0.5	U
02/11/15	108-88-3	Toluene	0.5	U
02/11/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/11/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/11/15	79-01-6	Trichloroethene	0.5	U
02/11/15	75-01-4	Vinyl chloride	0.5	U
02/03/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/03/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/03/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/03/15	75-34-3	1,1-Dichloroethane	0.5	U
02/03/15	75-35-4	1,1-Dichloroethene	0.5	U
02/03/15	107-06-2	1,2-Dichloroethane	0.5	U
02/03/15	78-87-5	1,2-Dichloropropane	0.5	U
02/03/15	78-93-3	2-Butanone	5	U
02/03/15	591-78-6	2-Hexanone	2.5	U
02/03/15	108-10-1	4-Methyl-2-pentanone	2.5	U

02/03/15	67-64-1	Acetone	5	U
02/03/15	71-43-2	Benzene	0.5	U
02/03/15	75-27-4	Bromodichloromethane	0.5	U
02/03/15	75-25-2	Bromoform	0.5	U
02/03/15	74-83-9	Bromomethane	1	U
02/03/15	75-15-0	Carbon disulfide	0.5	U
02/03/15	56-23-5	Carbon tetrachloride	0.5	U
02/03/15	108-90-7	Chlorobenzene	0.5	U
02/03/15	75-00-3	Chloroethane	1	U
02/03/15	67-66-3	Chloroform	0.5	U
02/03/15	74-87-3	Chloromethane	0.5	U
02/03/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/03/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/03/15	124-48-1	Dibromochloromethane	0.5	U
02/03/15	100-41-4	Ethylbenzene	0.5	U
02/03/15	m&pXylene	m- and p-Xylene	1	U
02/03/15	75-09-2	Methylene chloride	1	U
02/03/15	95-47-6	o-Xylene	0.5	U
02/03/15	100-42-5	Styrene	0.5	U
02/03/15	127-18-4	Tetrachloroethene	0.5	U
02/03/15	108-88-3	Toluene	0.5	U
02/03/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/03/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/03/15	79-01-6	Trichloroethene	0.5	U
02/03/15	75-01-4	Vinyl chloride	0.5	U
02/06/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/06/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/06/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/06/15	75-34-3	1,1-Dichloroethane	0.5	U
02/06/15	75-35-4	1,1-Dichloroethene	0.5	U
02/06/15	107-06-2	1,2-Dichloroethane	0.5	U
02/06/15	78-87-5	1,2-Dichloropropane	0.5	U
02/06/15	78-93-3	2-Butanone	5	U
02/06/15	591-78-6	2-Hexanone	2.5	U
02/06/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/06/15	67-64-1	Acetone	5	U
02/06/15	71-43-2	Benzene	0.5	U
02/06/15	75-27-4	Bromodichloromethane	0.5	U
02/06/15	75-25-2	Bromoform	0.5	U
02/06/15	74-83-9	Bromomethane	1	U
02/06/15	75-15-0	Carbon disulfide	0.5	U
02/06/15	56-23-5	Carbon tetrachloride	0.5	XU
02/06/15	108-90-7	Chlorobenzene	0.5	U
02/06/15	75-00-3	Chloroethane	1	U
02/06/15	67-66-3	Chloroform	0.5	U
02/06/15	74-87-3	Chloromethane	0.5	U
02/06/15	156-59-2	cis-1,2-Dichloroethene	0.5	U

02/06/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/06/15	124-48-1	Dibromochloromethane	0.5	U
02/06/15	100-41-4	Ethylbenzene	0.5	U
02/06/15	m&pXylene	m- and p-Xylene	1	U
02/06/15	75-09-2	Methylene chloride	1	U
02/06/15	95-47-6	o-Xylene	0.5	U
02/06/15	100-42-5	Styrene	0.5	U
02/06/15	127-18-4	Tetrachloroethene	0.5	U
02/06/15	108-88-3	Toluene	0.5	U
02/06/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/06/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/06/15	79-01-6	Trichloroethene	0.5	U
02/06/15	75-01-4	Vinyl chloride	0.5	U
02/04/15	71-55-6	1,1,1-Trichloroethane	0.5	U
02/04/15	79-34-5	1,1,2,2-Tetrachloroethane	0.5	U
02/04/15	79-00-5	1,1,2-Trichloroethane	0.5	U
02/04/15	75-34-3	1,1-Dichloroethane	0.5	U
02/04/15	75-35-4	1,1-Dichloroethene	0.5	U
02/04/15	107-06-2	1,2-Dichloroethane	0.5	U
02/04/15	78-87-5	1,2-Dichloropropane	0.5	U
02/04/15	78-93-3	2-Butanone	5	U
02/04/15	591-78-6	2-Hexanone	2.5	U
02/04/15	108-10-1	4-Methyl-2-pentanone	2.5	U
02/04/15	67-64-1	Acetone	5	XU
02/04/15	71-43-2	Benzene	0.5	U
02/04/15	75-27-4	Bromodichloromethane	0.5	U
02/04/15	75-25-2	Bromoform	0.5	U
02/04/15	74-83-9	Bromomethane	1	U
02/04/15	75-15-0	Carbon disulfide	0.5	U
02/04/15	56-23-5	Carbon tetrachloride	0.5	U
02/04/15	108-90-7	Chlorobenzene	0.5	U
02/04/15	75-00-3	Chloroethane	1	U
02/04/15	67-66-3	Chloroform	0.5	U
02/04/15	74-87-3	Chloromethane	0.5	U
02/04/15	156-59-2	cis-1,2-Dichloroethene	0.5	U
02/04/15	10061-01-5	cis-1,3-Dichloropropene	0.5	U
02/04/15	124-48-1	Dibromochloromethane	0.5	XU
02/04/15	100-41-4	Ethylbenzene	0.5	U
02/04/15	m&pXylene	m- and p-Xylene	1	U
02/04/15	75-09-2	Methylene chloride	1	U
02/04/15	95-47-6	o-Xylene	0.5	U
02/04/15	100-42-5	Styrene	0.5	U
02/04/15	127-18-4	Tetrachloroethene	0.5	U
02/04/15	108-88-3	Toluene	0.5	U
02/04/15	156-60-5	trans-1,2-Dichloroethene	0.5	U
02/04/15	10061-02-6	trans-1,3-Dichloropropene	0.5	U
02/04/15	79-01-6	Trichloroethene	0.5	U

02/04/15

75-01-4 Vinyl chloride

0.5

U

	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	2.5	5
	ug/L	1	1.25	2.5
	ug/L	1	1.25	2.5
	ug/L	1	2.5	5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.5	1
	ug/L	1	0.25	0.5
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.500	1.00
J	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.500	1.00
	ug/L	1	0.500	1.00
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
J	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	mg/L	1	0.17	0.33
	mg/L	1	0.033	0.1
	mg/L	1	0.33	1
	mg/L	1	1.25	2.5
	ug/L	1	1	2
	ug/L	1	1	2
	ug/L	1	1	2
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.500
	ug/L	1	2.500	5.000
	ug/L	1	1.250	2.50

	ug/L	1	1.250	2.500
	ug/L	1	2.500	5.000
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.500
	ug/L	1	0.250	0.500
	ug/L	1	0.500	1.00
	ug/L	1	0.250	0.500
J	ug/L	1	0.250	0.500
	ug/L	1	0.250	0.50
	ug/L	1	0.500	1.000
	ug/L	1	0.250	0.500
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.500
	ug/L	1	0.250	0.500
	ug/L	1	0.250	0.500
	ug/L	1	0.500	1.000
	ug/L	1	0.50	1.00
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	mg/L	1	0.17	0.33
	mg/L	1	0.03	0.10
	mg/L	1	0.33	1.00
	mg/L	1	1.25	2.50
	ug/L	1	1.00	2.00
	ug/L	1	1	2
	ug/L	1	1	2
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	2.5	5
	ug/L	1	1.25	2.5
	ug/L	1	1.25	2.5
	ug/L	1	2.5	5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5

	ug/L	1	0.5	1
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.5	1
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.5	1
	ug/L	1	0.5	1
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
J	ug/L	2	0.5	1
	ug/L	2	0.5	1
	ug/L	2	0.5	1
	ug/L	2	0.5	1
	ug/L	2	0.5	1
	ug/L	2	0.5	1
	ug/L	2	0.5	1
	ug/L	2	0.5	1
	ug/L	2	5	10
	ug/L	2	2.5	5
	ug/L	2	2.5	5
B	ug/L	2	5	10
	ug/L	2	0.5	1
	ug/L	2	0.5	1
	ug/L	2	0.500	1.00
	ug/L	2	1.000	2.00
	ug/L	2	0.500	1.00
	ug/L	2	0.500	1.00
	ug/L	2	0.500	1.00
	ug/L	2	1.000	2.00
	ug/L	2	0.500	1.000
	ug/L	2	0.500	1.000
	ug/L	2	0.500	1.00
	ug/L	2	0.500	1.000
	ug/L	2	0.500	1.000
	ug/L	2	0.500	1.00
	ug/L	2	1.000	2.000

	ug/L	2	1.000	2.000
	ug/L	2	0.500	1.00
	ug/L	2	0.500	1.000
J	ug/L	2	0.500	1.00
	ug/L	2	0.50	1.00
	ug/L	2	0.500	1.000
	ug/L	2	0.500	1.000
	ug/L	2	0.500	1.00
	ug/L	2	0.500	1.000
	mg/L	2	0.340	0.660
	mg/L	1	0.033	0.10
	mg/L	2	0.660	2.000
J	mg/L	1	1.250	2.500
	ug/L	1	1.000	2.00
	ug/L	1	1	2
	ug/L	1	1	2
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	2.5	5
	ug/L	1	1.25	2.5
	ug/L	1	1.25	2.5
	ug/L	1	2.5	5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.5	1
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.5	1
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.5	1
	ug/L	1	0.5	1
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5

	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
J	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
J	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	2.5	5
	ug/L	1	1.25	2.5
	ug/L	1	1.25	2.5
	ug/L	1	2.5	5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.5	1
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.5	1
	ug/L	1	0.25	0.5
J	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
J	ug/L	1	0.5	1
	ug/L	1	0.5	1
J	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.25	0.5
	ug/L	1	0.250	0.50
	ug/L	1	0.250	0.50
	mg/L	1	0.170	0.33
	mg/L	1	0.033	0.10
	mg/L	1	0.330	1.00
	mg/L	1	1.250	2.50
	ug/L	1	1.000	2.00
	ug/L	1	1.000	2.00
	ug/L	1	1.000	2.00
	ug/L	1	0.250	0.50

	ug/L	1	0.25	0.50
	ug/L	1	2.50	5.00
	ug/L	1	1.25	2.50
	ug/L	1	1.25	2.50
	ug/L	1	2.50	5.00
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.50	1.00
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.50	1.00
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
J	ug/L	1	0.50	1.00
	ug/L	1	0.50	1.00
J	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	mg/L	1	0.17	0.33
	mg/L	1	0.03	0.10
	mg/L	1	0.33	1.00
	mg/L	1	1.25	2.50
	ug/L	1	1.00	2.00
	ug/L	1	1.00	2.00
	ug/L	1	1.00	2.00
J	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	2.50	5.00
	ug/L	1	1.25	2.50
	ug/L	1	1.25	2.50
	ug/L	1	2.50	5.00

	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.50	1.00
	ug/L	1	0.25	0.50
J	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.50	1.00
J	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
J	ug/L	1	0.25	0.50
J	ug/L	1	0.50	1.00
	ug/L	1	0.50	1.00
J	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	mg/L	1	0.17	0.33
	mg/L	1	0.03	0.10
	mg/L	1	0.33	1.00
	mg/L	1	1.25	2.50
	ug/L	1	1.00	2.00
	ug/L	1	1.00	2.00
	ug/L	1	1.00	2.00
	ug/L	2	0.50	1.00
	ug/L	2	0.50	1.00
	ug/L	2	0.50	1.00
	ug/L	2	0.50	1.00
	ug/L	2	0.50	1.00
	ug/L	2	0.50	1.00
	ug/L	2	0.50	1.00
	ug/L	2	5.00	10.00
	ug/L	2	2.50	5.00
	ug/L	2	2.50	5.00
B	ug/L	2	5.00	10.00
	ug/L	2	0.50	1.00
	ug/L	2	0.50	1.00
	ug/L	2	0.50	1.00
	ug/L	2	1.00	2.00
	ug/L	2	0.50	1.00

	ug/L	1	1.25	2.50
	ug/L	1	1.25	2.50
	ug/L	1	2.50	5.00
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.50	1.00
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.50	1.00
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
J	ug/L	1	0.25	0.50
J	ug/L	1	0.50	1.00
	ug/L	1	0.50	1.00
J	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	mg/L	1	0.17	0.33
	mg/L	1	0.03	0.10
	mg/L	1	0.33	1.00
	mg/L	1	1.25	2.50
	ug/L	1	1.00	2.00
	ug/L	1	1.00	2.00
	ug/L	1	1.00	2.00
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
J	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	2.50	5.00
	ug/L	1	1.25	2.50
	ug/L	1	1.25	2.50
	ug/L	1	2.50	5.00
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50

	ug/L	1	0.25	0.50
	ug/L	1	0.50	1.00
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.50	1.00
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
J	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
J	ug/L	1	0.50	1.00
	ug/L	1	0.50	1.00
J	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
J	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	ug/L	1	0.25	0.50
	mg/L	1	0.17	0.33
	mg/L	1	0.03	0.10
	mg/L	1	0.33	1.00
	mg/L	1	1.25	2.50
	ug/L	1	1.00	2.00
	ug/L	1	1.00	2.00
	ug/L	1	1.00	2.00
J	mg/L	1	20.00	40.00
	ug/L	1	50.00	100.00
	ug/L	1	5.00	8.00
	ug/L	1	3.00	6.00
	ug/L	1	5.00	10.00
	ug/L	1	1.00	2.00
	ug/L	1	1.00	2.00
	ug/L	1	1000.00	2000.00
J	ug/L	1	2.00	4.00
	ug/L	1	5.00	10.00
J	ug/L	1	4.00	8.00
	ug/L	1	30.00	60.00
	ug/L	1	1.50	3.00
	ug/L	1	1000.00	3000.00
	ug/L	1	3.00	6.00
J	ug/L	1	3.00	6.00
J	ug/L	1	1000.00	3000.00
	ug/L	1	3.00	5.00

ug/L

1

0.25

0.50